

# ROCKHOPPER EXPERT 29 - 2021

Euro 1.050,00



IMAGE COMING SOON

Argento Satinato / Nero

Quercia Satinato / Bianco

## SPECIFICHE TECNICHE

Specialized si riserva il diritto di modificare le caratteristiche senza preavviso.

TELAIO	A1 premium butted alloy, zero-stack head tube, internal cable routing, 135x9mm forged dropouts, chainstay-mounted disc brake, replaceable alloy derailleur hanger, stealth rack mounts, dropper post compatible
FORCELLA	RockShox Judy, Solo Air, Turnkey damper, 46mm offset, QR, 80/90/100mm travel (size-specific), alloy steerer
ATTACCO	Stout 3D-forged alloy, 31.8mm, 6-degree rise
MANUBRIO	Stout Mini Rise, alloy, 9-degree backsweep, 15mm rise, 31.8mm
MANOPOLE	Specialized Trail Grips, lock-on
FRENO ANT.	Shimano BR-MT200, hydraulic disc, 180mm
FRENO POST.	Shimano BR-MT200, hydraulic disc, 160mm
CAMBIO POST.	SRAM SX Eagle, 12-speed
COMANDI	SRAM SX Eagle, trigger, 12-speed
CASSETTA	SRAM PG-1210 Eagle, 11-50t
CATENA	SRAM SX Eagle, 12-speed
GUARNITURA	SRAM SX Eagle, Powerspline
INGRANAGGI	30T
MOVIM. CENTR.	SRAM Powerspline
CERCHI	Alloy, Offset Design, Tubeless Ready, 25mm internal width, 28h
MOZZO ANT.	Shimano HB-RM35, Center Lock™ disc, 9x100mm spacing, quick-release, 28h
MOZZO POST.	Shimano FH-RM35, Center Lock™ disc, 9x135mm spacing, quick-release, 32h
RAGGI	Stainless, 14g
PNEUMATICO ANT.	Ground Control, Control casing, GRIPTON® compound, 60 TPI, 2Bliss Ready, 29x2.3"
PNEUMATICO POST.	Ground Control, Control casing, GRIPTON® compound, 60 TPI, 2Bliss Ready, 29x2.3"
SELLA	Bridge Sport, steel rails
REGGISELLA	Alloy, 12mm offset, 2-bolt clamp, 30.9mm

## ROCKHOPPER EXPERT 29 - 2021

	S	M	L	XL	XXL
Stack (mm)	607	616	626	640	654
Reach (mm)	405	425	445	465	485
Lunghezza Tubo sterzo (mm)	95	95	105	120	135
Angolo sterzo (degrees)	68.5	68.5	68.5	68.5	68.5
Altezza movimento centrale (mm)	310	310	310	310	310
BB Drop (mm)	62	62	62	62	62
Trail (mm)	97	97	97	97	97
Lunghezza Forcella (mm)	505	515	515	515	515
Offset forcella / Rake (mm)	46	46	46	46	46
Avancorsa (mm)	672	696	719	745	770
Lunghezza Batticateni (mm)	440	440	440	440	440
Interasse (mm)	1105	1128	1152	1178	1203
Lunghezza Tubo Orizz. virtuale (mm)	585	643	667	667	667
Altezza standover (mm)	732	754	781	820	853
Lunghezza piantone (mm)	360	400	450	500	560
Angolo Sella (degrees)	73.5	73.5	73.5	73.5	73.5

ART. NR.	DESCRIZIONE	COLORE	MISURA
91520-3502	ROCKHOPPER EXPERT 29 KM	Argento Satinato / Nero	S
91520-3503			M
91520-3504			L
91520-3505			XL
91520-3506			XXL
91520-3302	ROCKHOPPER EXPERT 29 KM	Quercia Satinato / Bianco	S
91520-3303			M
91520-3304			L
91520-3305			XL
91520-3306			XXL

# ROCKHOPPER ELITE 29 - 2021

Euro 899,00



Nero Satinato e Lucido



Rosso / Verde

## SPECIFICHE TECNICHE

Specialized si riserva il diritto di modificare le caratteristiche senza preavviso.

TELAIO	A1 premium butted alloy, zero-stack head tube, internal cable routing, 135x9mm forged dropouts, chainstay-mounted disc brake, replaceable alloy derailleur hanger, stealth rack mounts, dropper post compatible
FORCELLA	RockShox Judy, Solo Air, Turnkey damper, 46mm offset, QR, 80/90/100mm travel (size-specific), steel steerer
ATTACCO	Stout 3D-forged alloy, 31.8mm, 6-degree rise
MANUBRIO	Stout Mini Rise, alloy, 9-degree backsweep, 15mm rise, 31.8mm
MANOPOLE	Specialized Trail Grips, lock-on
FRENO ANT.	Shimano BR-MT200, hydraulic disc, 180mm
FRENO POST.	Shimano BR-MT200, hydraulic disc, 160mm
CAMBIO POST.	Shimano Deore, Shadow Plus, GS cage, 10-speed
COMANDI	Shimano Deore, RapidFire Plus, 10-speed w/ Optical Gear Display
CASSETTA	SunRace, 11-42t, 10-speed
CATENA	KMC, X10, EPT anti-corrosion coating, 10-speed w/ Missing Link™
GUARNITURA	Stout 1x, forged alloy
INGRANAGGI	30T
MOVIM. CENTR.	Square-tapered, 73mm, internal bearings, 122.5mm spindle
CERCHI	Alloy, Offset Design, Tubeless Ready, 25mm internal width, 28h
MOZZO ANT.	Shimano HB-RM35, Center Lock™ disc, 9x100mm spacing, quick-release, 28h
MOZZO POST.	Shimano FH-RM35, Center Lock™ disc, 9x135mm spacing, quick-release, 32h
RAGGI	Stainless, 14g
PNEUMATICO ANT.	Ground Control, Control casing, GRIPTON® compound, 60 TPI, 2Bliss Ready, 29x2.3"
PNEUMATICO POST.	Ground Control, Control casing, GRIPTON® compound, 60 TPI, 2Bliss Ready, 29x2.3"
SELLA	Bridge Sport, steel rails
REGGISELLA	Alloy, 12mm offset, 2-bolt clamp, 30.9mm

## ROCKHOPPER ELITE 29 - 2021

	S	M	L	XL	XXL
Stack (mm)	607	616	626	640	654
Reach (mm)	405	425	445	465	485
Lunghezza Tubo sterzo (mm)	95	95	105	120	135
Angolo sterzo (degrees)	68.5	68.5	68.5	68.5	68.5
Altezza movimento centrale (mm)	310	310	310	310	310
BB Drop (mm)	62	62	62	62	62
Trail (mm)	97	97	97	97	97
Lunghezza Forcella (mm)	505	515	515	515	515
Offset forcella / Rake (mm)	46	46	46	46	46
Avancorsa (mm)	672	696	719	745	770
Lunghezza Batticateni (mm)	440	440	440	440	440
Interasse (mm)	1105	1128	1152	1178	1203
Lunghezza Tubo Orizz. virtuale (mm)	585	643	667	667	667
Altezza standover (mm)	732	754	781	820	853
Lunghezza piantone (mm)	360	400	450	500	560
Angolo Sella (degrees)	73.5	73.5	73.5	73.5	73.5

ART. NR.	DESCRIZIONE	COLORE	MISURA
91520-4502	ROCKHOPPER ELITE 29 KM	Nero Satinato e Lucido	S
91520-4503			M
91520-4504			L
91520-4505			XL
91520-4506			XXL
91520-4402	ROCKHOPPER ELITE 29 KM	Rosso / Verde	S
91520-4403			M
91520-4404			L
91520-4405			XL
91520-4406			XXL

# ROCKHOPPER COMP 29 - 2021

Euro 699,00



IMAGE COMING SOON

Bianco Metallizzato / Nero Satinato

Grigio Fumo Satinato / Nero Satinato

## SPECIFICHE TECNICHE

Specialized si riserva il diritto di modificare le caratteristiche senza preavviso.

TELAIO	A1 premium butted alloy, zero-stack head tube, internal cable routing, 135x9mm forged dropouts, chainstay-mounted disc brake, replaceable alloy derailleur hanger, stealth rack mounts, dropper post compatible
FORCELLA	SR Suntour XCM 29, 30mm Stanchions, Rx Tune, coil spring, custom Multi-Circuit damping w/lockout, QR, 90/100mm travel (size-specific), 46mm offset
ATTACCO	Stout 3D-forged alloy, 31.8mm, 6-degree rise
MANUBRIO	Stout Mini Rise, alloy, 9-degree backsweep, 15mm rise, 31.8mm
MANOPOLE	Specialized Trail Grips, lock-on
FRENO ANT.	Shimano BR-MT200, hydraulic disc, 180mm
FRENO POST.	Shimano BR-MT200, hydraulic disc, 160mm
CAMBIO POST.	microSHIFT Advent, 1x9 w/ clutch
COMANDI	microSHIFT Advent, 9-speed
CASSETTA	microSHIFT Advent, 9-speed, 11-42t
CATENA	KMC X9EPT, 9-speed, anti-corrosion coating w/ reusable Missing Link™
GUARNITURA	Stout 1x, forged alloy
INGRANAGGI	30T
MOVIM. CENTR.	Square-tapered, 73mm, internal bearings, 122.5mm spindle
CERCHI	Stout Alloy, hookless, pinned, disc only, double-wall, 25mm inner width, 28h
MOZZO ANT.	Shimano HB-TX505, Center Lock™ disc, 9x100mm spacing, quick-release, 28h
MOZZO POST.	Shimano FH-TX505, Center Lock™ disc, 9x135mm spacing, quick-release, 32h
RAGGI	Stainless, 14g
PNEUMATICO ANT.	Ground Control Sport, 29x2.3"
PNEUMATICO POST.	Ground Control Sport, 29x2.3"
SELLA	Bridge Sport, steel rails
REGGISELLA	Alloy, 12mm offset, 2-bolt clamp, 30.9mm

## ROCKHOPPER COMP 29 -2021

	S	M	L	XL	XXL
Stack (mm)	607	616	626	640	654
Reach (mm)	405	425	445	465	485
Lunghezza Tubo sterzo (mm)	95	95	105	120	135
Angolo sterzo (degrees)	68.5	68.5	68.5	68.5	68.5
Altezza movimento centrale (mm)	310	310	310	310	310
BB Drop (mm)	62	62	62	62	62
Trail (mm)	97	97	97	97	97
Lunghezza Forcella (mm)	505	515	515	515	515
Offset forcella / Rake (mm)	46	46	46	46	46
Avancorsa (mm)	672	696	719	745	770
Lunghezza Batticateni (mm)	440	440	440	440	440
Interasse (mm)	1105	1128	1152	1178	1203
Lunghezza Tubo Orizz. virtuale (mm)	585	643	667	667	667
Altezza standover (mm)	732	754	781	820	853
Lunghezza piantone (mm)	360	400	450	500	560
Angolo Sella (degrees)	73.5	73.5	73.5	73.5	73.5

ART. NR.	DESCRIZIONE	COLORE	MISURA
91520-5702	ROCKHOPPER COMP 29 KM	Grigio Fumo Satinato / Nero Satinato	S
91520-5703			M
91520-5704			L
91520-5705			XL
91520-5706			XXL
91520-5402	ROCKHOPPER COMP 29 KM	Bianco Metallizzato / Nero Satinato	S
91520-5403			M
91520-5404			L
91520-5405			XL
91520-5406			XXL

# ROCKHOPPER SPORT 29 - 2021

Euro 599,00



Ardesia satinato / Grigio Chiaro



Blu Cobalto Lucido / Blu



Verde Foresta Satinato

## SPECIFICHE TECNICHE

Specialized si riserva il diritto di modificare le caratteristiche senza preavviso.

TELAIO	A1 premium butted alloy, zero-stack head tube, internal cable routing, 135x9mm forged dropouts, chainstay-mounted disc brake, replaceable alloy derailleur hanger, stealth rack mounts, dropper post compatible
FORCELLA	SR Suntour XCM 29, 30mm stanchions, Rx Tune, coil spring, QR, 90/100mm travel (size-specific), 42mm offset
ATTACCO	Stout 3D-forged alloy, 31.8mm, 6-degree rise
MANUBRIO	Stout Mini Rise, alloy, 9-degree backsweep, 15mm rise, 31.8mm
MANOPOLE	Specialized Trail Grips, lock-on
FRENO ANT.	Tektro HD-M275, hydraulic disc, 180/160mm
FRENO POST.	Tektro HD-M275, hydraulic disc, 160mm
DERAGL. ANT.	Shimano Altus FD-M2020 2-speed
CAMBIO POST.	Shimano Altus, RD-M2000, 9-speed
COMANDI	Shimano Altus, RapidFire Plus, 9-speed
CASSETTA	SunRace, 9-Speed, 11-36t
CATENA	KMC X9EPT, 9-speed, anti-corrosion coating w/ reusable Missing Link™
GUARNITURA	Stout 2x, forged alloy
INGRANAGGI	22/36T
MOVIM. CENTR.	Square-tapered, 73mm, internal bearings, 122.5mm spindle
CERCHI	Specialized alloy, disc only, double-wall, 25mm inner width, 32h
MOZZO ANT.	Formula 6-Bolt, disc, 100x9mm spacing, quick-release, 32H
MOZZO POST.	Formula 6-Bolt freehub, disc, 135x9mm spacing, quick-release, 32H
RAGGI	Stainless, 14g
PNEUMATICO ANT.	Ground Control Sport, 29x2.3"
PNEUMATICO POST.	Ground Control Sport, 29x2.3"
SELLA	Bridge Sport, steel rails
REGGISELLA	Alloy, 12mm offset, 2-bolt clamp, 30.9mm

## ROCKHOPPER SPORT 29 - 2021

	S	M	L	XL	XXL
Stack (mm)	607	616	626	640	654
Reach (mm)	405	425	445	465	485
Lunghezza Tubo sterzo (mm)	95	95	105	120	135
Angolo sterzo (degrees)	68.5	68.5	68.5	68.5	68.5
Altezza movimento centrale (mm)	310	310	310	310	310
BB Drop (mm)	62	62	62	62	62
Trail (mm)	97	97	97	97	97
Lunghezza Forcella (mm)	505	515	515	515	515
Offset forcella / Rake (mm)	46	46	46	46	46
Avancorsa (mm)	672	696	719	745	770
Lunghezza Batticateni (mm)	440	440	440	440	440
Interasse (mm)	1105	1128	1152	1178	1203
Lunghezza Tubo Orizz. virtuale (mm)	585	643	667	667	667
Altezza standover (mm)	732	754	781	820	853
Lunghezza piantone (mm)	360	400	450	500	560
Angolo Sella (degrees)	73.5	73.5	73.5	73.5	73.5

ART. NR.	DESCRIZIONE	COLORE	MISURA
91520-6902	ROCKHOPPER SPORT 29 KM	Ardesia satinato / Grigio Chiaro	S
91520-6903			M
91520-6904			L
91520-6905			XL
91520-6906			XXL
91520-6602	ROCKHOPPER SPORT 29 KM	Blu Cobalto Lucido / Blu	S
91520-6603			M
91520-6604			L
91520-6605			XL
91520-6606			XXL
91520-6802	ROCKHOPPER SPORT 29 KM	Verde Foresta Satinato	S
91520-6803			M
91520-6804			L
91520-6805			XL
91520-6806			XXL



# ROCKHOPPER 29 - 2021

Euro 499,00



Blu satinato / Azzurro



Rosso / Bianco

## SPECIFICHE TECNICHE

Specialized si riserva il diritto di modificare le caratteristiche senza preavviso.

TELAIO	A1 premium butted alloy, zero-stack head tube, internal cable routing, 135x9mm forged dropouts, chainstay-mounted disc brake, replaceable alloy derailleur hanger, stealth rack mounts, dropper post compatible
FORCELLA	SR Suntour XCE 29, 28mm stanchions, Rx Tune, coil spring, QR, 90/100mm travel (size-specific), 46mm offset
ATTACCO	Stout 3D-forged alloy, 31.8mm, 6-degree rise
MANUBRIO	Stout Mini Rise, alloy, 9-degree backsweep, 15mm rise, 31.8mm
MANOPOLE	Specialized Trail Grips, lock-on
FRENO ANT.	Radius CX7, mechanical disc, 160mm
FRENO POST.	Radius CX7, mechanical disc, 160mm
DERAGL. ANT.	Shimano Altus FD-M315
CAMBIO POST.	Shimano Tourney RD-TX800, 8-speed
COMANDI	microSHIFT, TS39-8R, 8-speed
CASSETTA	SunRace, 8-speed, 11-34t
CATENA	KMC X8 EPT, anti-rust coating, 8-speed w/ reusable Missing Link™
GUARNITURA	Stout 2x, forged alloy
INGRANAGGI	22/36T
MOVIM. CENTR.	Square-tapered, 73mm, internal bearings, 122.5mm spindle
CERCHI	Specialized alloy, disc only, double-wall, 25mm inner width, 32h
MOZZO ANT.	Formula 6-Bolt, disc, 100x9mm spacing, quick-release, 32H
MOZZO POST.	Formula 6-Bolt freehub, disc, 135x9mm spacing, quick-release, 32H
RAGGI	Stainless, 14g
PNEUMATICO ANT.	Ground Control Sport, 29x2.3"
PNEUMATICO POST.	Ground Control Sport, 29x2.3"
SELLA	Bridge Sport, steel rails
REGGISELLA	Alloy, 12mm offset, 2-bolt clamp, 30.9mm

ROCKHOPPER 29 - 2021	S	M	L	XL	XXL
Stack (mm)	607	616	626	640	654
Reach (mm)	405	425	445	465	485
Lunghezza Tubo sterzo (mm)	95	95	105	120	135
Angolo sterzo (degrees)	68.5	68.5	68.5	68.5	68.5
Altezza movimento centrale (mm)	310	310	310	310	310
BB Drop (mm)	62	62	62	62	62
Trail (mm)	97	97	97	97	97
Lunghezza Forcella (mm)	505	515	515	515	515
Offset forcella / Rake (mm)	46	46	46	46	46
Avancorsa (mm)	672	696	719	745	770
Lunghezza Batticateni (mm)	440	440	440	440	440
Interasse (mm)	1105	1128	1152	1178	1203
Lunghezza Tubo Orizz. virtuale (mm)	585	643	667	667	667
Altezza standover (mm)	732	754	781	820	853
Lunghezza piantone (mm)	360	400	450	500	560
Angolo Sella (degrees)	73.5	73.5	73.5	73.5	73.5

ART. NR.	DESCRIZIONE	COLORE	MISURA
91520-7902	ROCKHOPPER 29 KM	Blu satinato / Azzurro	S
91520-7903			M
91520-7904			L
91520-7905			XL
91520-7906			XXL
91520-7502	ROCKHOPPER 29 KM	Rosso / Bianco	S
91520-7503			M
91520-7504			L
91520-7505			XL
91520-7506			XXL

# ROCKHOPPER ELITE 27.5 - 2021

Euro 899,00



Rosso / Verde

## SPECIFICHE TECNICHE

Specialized si riserva il diritto di modificare le caratteristiche senza preavviso.

TELAIO	A1 premium butted alloy, zero-stack head tube, internal cable routing, 135x9mm forged dropouts, chainstay-mounted disc brake, replaceable alloy derailleur hanger, stealth rack mounts, dropper post compatible
FORCELLA	RockShox Judy, Solo Air, Turnkey damper, 46mm offset, QR, 80/90/100mm travel (size-specific), steel steerer
ATTACCO	Stout 3D-forged alloy, 31.8mm, 6-degree rise
MANUBRIO	Stout Mini Rise, alloy, 9-degree backsweep, 15mm rise, 31.8mm
MANOPOLE	Specialized Trail Grips, lock-on
FRENO ANT.	Shimano BR-MT200, hydraulic disc, 180mm
FRENO POST.	Shimano BR-MT200, hydraulic disc, 160mm
CAMBIO POST.	Shimano Deore, Shadow Plus, GS cage, 10-speed
COMANDI	Shimano Deore, RapidFire Plus, 10-speed w/ Optical Gear Display
CASSETTA	SunRace, 11-42t, 10-speed
CATENA	KMC, X10, EPT anti-corrosion coating, 10-speed w/ Missing Link™
GUARNITURA	Stout 1x, forged alloy
INGRANAGGI	30T
MOVIM. CENTR.	Square-tapered, 73mm, internal bearings, 122.5mm spindle
CERCHI	Alloy, Offset Design, Tubeless Ready, 25mm internal width, 28h
MOZZO ANT.	Shimano HB-RM35, Center Lock™ disc, 9x100mm spacing, quick-release, 28h
MOZZO POST.	Shimano FH-RM35, Center Lock™ disc, 9x135mm spacing, quick-release, 32h
RAGGI	Stainless, 14g
PNEUMATICO ANT.	Ground Control, Control casing, GRIPTON® compound, 60 TPI, 2Bliss Ready, 27.5x2.3"
PNEUMATICO POST.	Ground Control, Control casing, GRIPTON® compound, 60 TPI, 2Bliss Ready, 27.5x2.3"
SELLA	Bridge Sport, Steel rails, 155/143mm
REGGISELLA	Alloy, 12mm offset, 2-bolt clamp, 30.9mm

## ROCKHOPPER ELITE 27.5 - 2021

	XS	S
Stack (mm)	559	573
Reach (mm)	375	395
Lunghezza Tubo sterzo (mm)	95	100
Angolo sterzo (degrees)	68	68
Altezza movimento centrale (mm)	310	310
BB Drop (mm)	43	43
Trail (mm)	97	97
Lunghezza Forcella (mm)	475	485
Offset forcella / Rake (mm)	42	42
Avancorsa (mm)	630	656
Lunghezza Batticateni (mm)	440	440
Interasse (mm)	1067	1092
Lunghezza Tubo Orizz. virtuale (mm)	579	599
Altezza standover (mm)	658	695
Lunghezza piantone (mm)	310	350
Angolo Sella (degrees)	73.5	73.5

ART. NR.	DESCRIZIONE	COLORE	MISURA
91520-4101	ROCKHOPPER ELITE 27.5 KM	Rosso / Verde	XS
91520-4102			S

# ROCKHOPPER COMP 27.5 - 2021

Euro 699,00



Grigio Fumo Satinato / Nero Satinato



Argilla lucido / Blu

## SPECIFICHE TECNICHE

Specialized si riserva il diritto di modificare le caratteristiche senza preavviso.

TELAIO	A1 premium butted alloy, zero-stack head tube, internal cable routing, 135x9mm forged dropouts, chainstay-mounted disc brake, replaceable alloy derailleur hanger, stealth rack mounts, dropper post compatible
FORCELLA	SR Suntour XCM 27.5, 30mm Stanchions, Rx Tune, coil spring, custom Multi-Circuit damping w/lockout, QR, 80/90/100mm travel (size-specific), 42mm offset
ATTACCO	Stout 3D-forged alloy, 31.8mm, 6-degree rise
MANUBRIO	Stout Mini Rise, alloy, 9-degree backsweep, 15mm rise, 31.8mm
MANOPOLE	Specialized Trail Grips, lock-on
FRENO ANT.	Shimano BR-MT200, hydraulic disc, 180mm
FRENO POST.	Shimano BR-MT200, hydraulic disc, 160mm
CAMBIO POST.	microSHIFT Advent, 1x9 w/ clutch
COMANDI	microSHIFT Advent, 9-speed
CASSETTA	microSHIFT Advent, 9-speed, 11-42t
CATENA	KMC X9EPT, 9-speed, anti-corrosion coating w/ reusable Missing Link™
GUARNITURA	Stout 1x, forged alloy
INGRANAGGI	30T
MOVIM. CENTR.	Square-tapered, 73mm, internal bearings, 122.5mm spindle
CERCHI	Stout Alloy, hookless, pinned, disc only, double-wall, 25mm inner width, 28h
MOZZO ANT.	Shimano HB-TX505, Center Lock™ disc, 9x100mm spacing, quick-release, 28h
MOZZO POST.	Shimano FH-TX505, Center Lock™ disc, 9x135mm spacing, quick-release, 32h
RAGGI	Stainless, 14g
PNEUMATICO ANT.	Ground Control Sport, 27.5x2.3"
PNEUMATICO POST.	Ground Control Sport, 27.5x2.3"
SELLA	Bridge Sport, Steel rails, 155/143mm
REGGISELLA	Alloy, 12mm offset, 2-bolt clamp, 30.9mm

## ROCKHOPPER COMP 27.5 -2021

	XS	S
Stack (mm)	559	573
Reach (mm)	375	395
Lunghezza Tubo sterzo (mm)	95	100
Angolo sterzo (degrees)	68	68
Altezza movimento centrale (mm)	310	310
BB Drop (mm)	43	43
Trail (mm)	97	97
Lunghezza Forcella (mm)	475	485
Offset forcella / Rake (mm)	42	42
Avancorsa (mm)	630	656
Lunghezza Batticateni (mm)	440	440
Interasse (mm)	1067	1092
Lunghezza Tubo Orizz. virtuale (mm)	579	599
Altezza standover (mm)	658	695
Lunghezza piantone (mm)	310	350
Angolo Sella (degrees)	73.5	73.5

ART. NR.	DESCRIZIONE	COLORE	MISURA
91520-5301	ROCKHOPPER COMP 27.5 KM	Grigio Fumo Satinato / Nero Satinato	XS
91520-5302			S
91520-5001	ROCKHOPPER COMP 27.5 KM	Argilla lucido / Blu	XS
91520-5002			S

# ROCKHOPPER SPORT 27.5 - 2021

Euro 599,00



Blu Cobalto Lucido / Blu



Ardesia satinato / Grigio Chiaro



Papaya

## SPECIFICHE TECNICHE

Specialized si riserva il diritto di modificare le caratteristiche senza preavviso.

TELAIO	A1 premium butted alloy, zero-stack head tube, internal cable routing, 135x9mm forged dropouts, chainstay-mounted disc brake, replaceable alloy derailleur hanger, stealth rack mounts, dropper post compatible
FORCELLA	SR Suntour XCM 27.5, 30mm stanchions, Rx Tune, coil spring, QR, 80/90/100mm travel (size-specific), 42mm offset
ATTACCO	Stout 3D-forged alloy, 31.8mm, 6-degree rise
MANUBRIO	Stout Mini Rise, alloy, 9-degree backsweep, 15mm rise, 31.8mm
MANOPOLE	Specialized Trail Grips, lock-on
FRENO ANT.	Tektro HD-M275, hydraulic disc, 180/160mm
FRENO POST.	Tektro HD-M275, hydraulic disc, 160mm
DERAGL. ANT.	Shimano Altus FD-M2020 2-speed
CAMBIO POST.	Shimano Altus, RD-M2000, 9-speed
COMANDI	Shimano Altus, RapidFire Plus, 9-speed
CASSETTA	SunRace, 9-Speed, 11-36t
CATENA	KMC X9EPT, 9-speed, anti-corrosion coating w/ reusable Missing Link™
GUARNITURA	Stout 2x, forged alloy
INGRANAGGI	22/36T
MOVIM. CENTR.	Square-tapered, 73mm, internal bearings, 122.5mm spindle
CERCHI	Specialized alloy, disc only, double-wall, 25mm inner width, 32H
MOZZO ANT.	Formula 6-Bolt, disc, 100x9mm spacing, quick-release, 32H
MOZZO POST.	Formula 6-Bolt freehub, disc, 135x9mm spacing, quick-release, 32H
RAGGI	Stainless, 14g
PNEUMATICO ANT.	Ground Control Sport, 27.5x2.3"
PNEUMATICO POST.	Ground Control Sport, 27.5x2.3"
SELLA	Bridge Sport, Steel rails, 155/143mm
REGGISELLA	Alloy, 12mm offset, 2-bolt clamp, 30.9mm

## ROCKHOPPER SPORT 27.5 -2021

	XS	S
Stack (mm)	559	573
Reach (mm)	375	395
Lunghezza Tubo sterzo (mm)	95	100
Angolo sterzo (degrees)	68	68
Altezza movimento centrale (mm)	310	310
BB Drop (mm)	43	43
Trail (mm)	97	97
Lunghezza Forcella (mm)	475	485
Offset forcella / Rake (mm)	42	42
Avancorsa (mm)	630	656
Lunghezza Batticateni (mm)	440	440
Interasse (mm)	1067	1092
Lunghezza Tubo Orizz. virtuale (mm)	541	565
Altezza standover (mm)	658	695
Lunghezza piantone (mm)	310	350
Angolo Sella (degrees)	73.5	73.5

ART. NR.	DESCRIZIONE	COLORE	MISURA
91520-6101	ROCKHOPPER SPORT 27.5 KM	Blu Cobalto Lucido / Blu	XS
91520-6102			S
91520-6401	ROCKHOPPER SPORT 27.5 KM	Ardesia satinato / Grigio Chiaro	XS
91520-6402			S
91520-6001	ROCKHOPPER SPORT 27.5 KM	Papaya	XS
91520-6002			S



# ROCKHOPPER 27.5 - 2021

Euro 599,00



Blu Satinato / Azzurro



Rosso / Bianco

## SPECIFICHE TECNICHE

Specialized si riserva il diritto di modificare le caratteristiche senza preavviso.

TELAIO	A1 premium butted alloy, zero-stack head tube, internal cable routing, 135x9mm forged dropouts, chainstay-mounted disc brake, replaceable alloy derailleur hanger, stealth rack mounts, dropper post compatible
FORCELLA	SR Suntour XCE 27.5, 28mm stanchions, Rx Tune, coil spring, QR, 80/90/100mm travel (size-specific), 42mm offset
ATTACCO	Stout 3D-forged alloy, 31.8mm, 6-degree rise
MANUBRIO	Stout Mini Rise, alloy, 9-degree backsweep, 15mm rise, 31.8mm
MANOPOLE	Specialized Trail Grips, lock-on
FRENO ANT.	Radius CX7, mechanical disc, 160mm
FRENO POST.	Radius CX7, mechanical disc, 160mm
DERAGL. ANT.	Shimano Altus FD-M315
CAMBIO POST.	Shimano Tourney RD-TX800, 8-speed
COMANDI	microSHIFT, TS39-8R, 8-speed
CASSETTA	SunRace, 8-speed, 11-34t
CATENA	KMC X8 EPT, anti-rust coating, 8-speed w/ reusable Missing Link™
GUARNITURA	Stout 2x, forged alloy
INGRANAGGI	22/36T
MOVIM. CENTR.	Square-tapered, 73mm, internal bearings, 122.5mm spindle
CERCHI	Specialized alloy, disc only, double-wall, 25mm inner width, 32h
MOZZO ANT.	Formula 6-Bolt, disc, 100x9mm spacing, quick-release, 32H
MOZZO POST.	Formula 6-Bolt freehub, disc, 135x9mm spacing, quick-release, 32H
RAGGI	Stainless, 14g
PNEUMATICO ANT.	Ground Control Sport, 27.5x2.3"
PNEUMATICO POST.	Ground Control Sport, 27.5x2.3"
SELLA	Bridge Sport, Steel rails, 155/143mm
REGGISELLA	Alloy, 12mm offset, 2-bolt clamp, 30.9mm

## ROCKHOPPER 27.5 - 2021

	XS	S
Stack (mm)	559	573
Reach (mm)	375	395
Lunghezza Tubo sterzo (mm)	95	100
Angolo sterzo (degrees)	68	68
Altezza movimento centrale (mm)	310	310
BB Drop (mm)	43	43
Trail (mm)	97	97
Lunghezza Forcella (mm)	475	485
Offset forcella / Rake (mm)	42	42
Avancorsa (mm)	630	656
Lunghezza Batticateni (mm)	440	440
Interasse (mm)	1067	1092
Lunghezza Tubo Orizz. virtuale (mm)	579	599
Altezza standover (mm)	658	695
Lunghezza piantone (mm)	310	350
Angolo Sella (degrees)	73.5	73.5

ART. NR.	DESCRIZIONE	COLORE	MISURA
91520-7401	ROCKHOPPER 27.5 KM	Blu Satinato / Azzurro	XS
91520-7402			S
91520-7001	ROCKHOPPER 27.5 KM	Rosso / Bianco	XS
91520-7002			S