

GENIUS 900 ULTIMATE

290143 (EU 1)
290138 (NON-EU 2)



SIZE

S, M, L, XL

WHAT'S NEW

- Frame with Integrated Suspension Technology
- Front 160 / Rear 150mm Travel
- Carbon Frame
- Syncros Cable Integration System
- FOX 36 160mm travel
- FOX Nude 5T
- TwinLoc
- SRAM XX1 AXS
- Syncros Carbon Parts



FRAME	Genius Carbon HMX, Integrated Suspension Technology, Virtual 4 Link kinematic / Adjustable head angle, Syncros Cable Integration System, BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	FOX 36 Float Factory Air / Kashima FIT4, 3- Modes with low Speed adj. / Kabolt 15x110mm axle, 44mm offset / tapered steerer / Reb. Adj. / Lockout, 160mm travel
REAR SHOCK	FOX NUDE 5T Factory EVOL Trunnion, SCOTT custom w. travel / geo adj., 3 modes: Lockout-Traction Control-Descend, Custom large Air volume / DPS / Kashima / Reb. Adj., Travel 150-100-Lockout / 118x55mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology, Suspension & Dropper Remote, 3 Suspension modes
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless / +0.6° head angle adjustment, Z556/28.6 - Z556/40 MTB

REAR DERAILLEUR	SRAM XX1 Eagle AXS 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM Eagle AXS Rocker Controller
BRAKES	Shimano XTR M9120 4 Piston Disc, Shimano RT-M1900 CL / 203/F and 180/R
CRANKSET	SRAM XX1 Eagle AXS, Carbon crankarm, DUB / 55mm CL / 32T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF-92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN XX1 Eagle
CASSETTE	SRAM XX1 XG1299 / 10-52T
HANDLEBAR	Syncros Hixon iC Carbon, Size S & M 15mm rise / Size L & XL 25mm rise, back sweep 8° / 780mm, Syncros Endurance lock-on grips

SEATPOST	Syncros Duncan Dropper Post 1.5, 31.6mm / S size 140mm / M size 160mm / L size 170mm / XL size 200mm
SEAT	Syncros Tofino SL Regular 1.0, Carbon rails
FRONT TIRES	Maxxis Dissector / 2.6" / 60TPI Foldable, Tubeless Ready / EXO 3C maxx Terra
REAR TIRES	Maxxis Dissector / 2.6" / 60TPI Foldable, Tubeless Ready / EXO 3C maxx Terra
WHEELSET	Syncros Revelstoke 105-30 CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready Carbon rim 28H, DT Swiss 240 Ratchet EXP 36 / XD Driver, SRAM TyreWiz / Syncros Axle w/ Removable Lever, with 6mm Allen, T30 and T25 Tools
EXTRAS	SRAM AXS Powerpack, SRAM TyreWiz, Syncros Fork Fender
ACCESSORIES	Syncros Eco Sealant, Transport Axle
APPROX. WEIGHT	check website

GENIUS 910

290144 (EU 1)

290139 (NON-EU 2)

SIZE

S, M, L, XL

WHAT'S NEW

- Frame with Integrated Suspension Technology
- Front 160 / Rear 150mm Travel
- Carbon Mainframe with Alloy Swingarm
- Syncros Cable Integration System
- FOX 36 160mm travel
- FOX Nude 5T
- TwinLoc
- SRAM GX AXS
- Syncros Carbon Parts



FRAME	Genius Carbon HMF Mainframe with Alloy 6061 Swingarm, Integrated Suspension Technology, Virtual 4 Link kinematic / Adjustable head angle, Syncros Cable Integration System, BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	FOX 36 Float Performance Elite Air FIT4, 3-Modes with low Speed adj. / Kabolt 15x110mm axle, 44mm offset / tapered steerer / Reb. Adj. / Lockout, 160mm travel
REAR SHOCK	FOX NUDE 5T EVOL Trunnion, SCOTT custom w. travel / geo adj., 3 modes: Lockout-Traction Control-Descend, Custom large Air volume / DPS / Reb. Adj., Travel 150-100-Lockout / 118x5x55mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology, Suspension & Dropper Remote, 3 Suspension modes
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System, +0.6° head angle adjustment, Z556/28.6 - Z556/40 MTB

REAR DERAILLEUR	SRAM GX Eagle AXS 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM GX Eagle AXS Rocker Controller
BRAKES	Shimano XT M8120 4 Piston Disc, Shimano SM-RT76 / 6 Bolt / 203/F and 180/R
CRANKSET	SRAM GX Eagle DUB, 55mm CL / 32T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN GX Eagle
CASSETTE	SRAM XG1275 / 10-52 T
HANDLEBAR	Syncros Hixon iC Carbon, Size S & M 15mm rise / Size L & XL 25mm rise, back sweep 8° / 780mm, Syncros Endurance lock-on grips

SEATPOST	Syncros Duncan Dropper Post 1.5, 31.6mm / S size 140mm / M size 160mm / L size 170mm / XL size 200mm
SEAT	Syncros Tofino 1.5 Regular, Titanium rails
FRONT TIRES	Maxxis Dissector / 2.6" / 60TPI Foldable, Tubeless Ready / EXO 3C maxx terra
REAR TIRES	Maxxis Dissector / 2.6" / 60TPI Foldable, Tubeless Ready / EXO 3C maxx terra
WHEELSET	Syncros Revelstoke 1.5 6 Bolt, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready rim 28H / XD Driver, Syncros Axle w/ Removable Lever, with 6mm Allen, 130 and 125 Tools
EXTRAS	SRAM AXS Powerpack, Syncros Fork Fender
APPROX. WEIGHT	check website

GENIUS 920

290145 (EU 1)

290140 (NON-EU 2)

29



SIZE

S, M, L, XL

WHAT'S NEW

- Frame with Integrated Suspension Technology
- Front 160 / Rear 150mm Travel
- Carbon Mainframe with Alloy Swingarm
- Syncros Cable Integration System
- FOX 36 Rhythm 160mm travel
- FOX Nude 5T
- TwinLoc



FRAME	Genius Carbon-HMF Mainframe with Alloy 6061 Swingarm, Integrated Suspension Technology, Virtual 4 Link kinematic / Adjustable head angle, Syncros Cable Integration System, BB92 / UDH Interface / 12x148mm with 55mm Chainline	REAR DERAILLEUR	Shimano XT RD-M8100 SGS, Shadow Plus / 12 Speed	SEATPOST	Syncros Duncan Dropper Post 1.5, 31.6mm / S size 140mm / M size 160mm / L size 170mm / XL size 200mm
FORK	FOX 36 Float Rhythm Air Grip, 3-Modes / 15x110mm QR axle / tapered steerer, 44mm offset / Reb. Adj. / Lockout / 160mm travel	SHIFTERS	Shimano Deore SL-M6100-IR / Rapidfire Plus, Ispec EV clamp	SEAT	Syncros Tofino 2.0 Regular, CRMO rails
REAR SHOCK	FOX NUDE 5T EVOL Trunnion, SCOTT custom w. travel / geo adj., 3 modes: Lockout-Traction Control-Descend, Custom large Air volume / DPS / Reb. Adj., Travel 150-100-Lockout / 1185x55mm	BRAKES	Shimano Deore M6120 4 Piston Disc, Shimano SM-RT64 CL / 203F and 180/R	HUB (FRONT)	Formula CL-811 / 15x110mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology, Suspension & Dropper Remote, 3 Suspension modes	CRANKSET	Shimano SLX FC-M7120-1 / Hollowtech 2, 55mm CL / 32T	HUB (REAR)	Formula CL-148M / 12x148mm
HEADSET	Syncros - Across Angle adjust & Cable Routing IHS System, +/-0.6° head angle adjustment, Z556/28.6 - Z556/40 MTB	CHAINGUIDE	SCOTT custom	SPOKES	Stainless Black 15G / 1.8mm
		BB-SET	Shimano BB-MT500 / shell 4x92mm	RIMS	Syncros X-30S / 32H / 30mm / Sleeve Joint, Tubeless ready
		CHAIN	Shimano Deore CN-M6100	FRONT TIRES	Maxxis Dissector / 2.6" / 60TPI Foldable, Tubeless Ready / EXO 3C maxx Terra
		CASSETTE	Shimano Deore CS-M6100-12 / 10-51 T	REAR TIRES	Maxxis Dissector / 2.6" / 60TPI Foldable, Tubeless Ready / EXO 3C maxx Terra
		HANDLEBAR	Syncros Hixon 1.5 Alloy 7050, Size S & M 15mm rise / Size L & XL 25mm rise, back sweep 8° / 780mm, Syncros Endurance lock-on grips	EXTRAS	Syncros Fork Fender
		HANDLEBAR STEM	Syncros AM 1.5, Syncros Cable Integration System, 4° rise / 7050 Alloy / 31.8mm / 118°	APPROX. WEIGHT	check website

GENIUS 930

290146 (EU 1)

290141 (NON-EU 2)

SIZE

S, M, L, XL

WHAT'S NEW

- Frame with Integrated Suspension Technology
- Front 160 / Rear 150mm Travel
- Alloy Frame
- Syncros Cable Integration System
- FOX 36 Rhythm 160mm travel
- SRAM DB8 Brake



FRAME	Genius Alloy 6061, Integrated Suspension Technology, Virtual 4 Link kinematic / Adjustable head angle, Syncros Cable Integration System, BB92 / UDH Interface / 12x148mm with 55mm Chainline	SHIFTERS	Shimano Deore SL-M6100-R / Rapidfire Plus	SEATPOST	Syncros Duncan Dropper Post 2.5, 31.6mm / S size 125mm / M size 150mm / L & XL size 170mm
FORK	FOX 36 Float Rhythm Air Grip, 3-Modes / 15x110mm QR axle / tapered steerer, 44mm offset / Reb. Adj. / Lockout / 160mm travel	BRAKES	SRAM DB8 4 Piston Disc, SRAM Centerline CL Rotors 200F and 180R	SEAT	Syncros Tofino 2.5 Regular
REAR SHOCK	FOX Float Custom EVOL Performance Trunnion, 3 modes / Lockout-Trail-Descend, DPS / Reb. Adj., Travel 150mm / T185X55mm	CRANKSET	Praxis Cadet M24HD, 55mm CL / 32T	HUB (FRONT)	Formula CL-811 / 15x110mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology, Suspension & Dropper Remote, 3 Suspension modes	CHAINGUIDE	SCOTT custom	HUB (REAR)	Formula CL-148M / 12x148mm
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System, +0.6° head angle adjustment, ZS56/28.6 - ZS56/40 MTB	BB SET	Praxis M24 BB92 / shell 4x92mm	SPOKES	Stainless Black 15G / 1.8mm
REAR DERAILLEUR	Shimano XT RD-M8100 SGS, Shadow Plus / 12 Speed	CHAIN	Shimano Deore CN-M6100	RIMS	Syncros X-30S / 32H / 30mm / Sleeve Joint, Tubeless ready
		CASSETTE	Shimano Deore CS-M6100-12 / 10-51T	FRONT TIRES	Maxxis Dissector / 2.6" / 60TPI Foldable, Tubeless Ready / EXO
		HANDLEBAR	Syncros Hixon 2.0 Alloy 6061 D.B., 12mm Rise / back sweep 8° / 780mm, Syncros Endurance lock-on grips	REAR TIRES	Maxxis Dissector / 2.6" / 60TPI Foldable, Tubeless Ready / EXO
		HANDLEBAR STEM	Syncros AM 2.0, Syncros Cable Integration System, 4° rise / 6061 Alloy / 31.8mm / 11/8"	EXTRAS	Syncros Fork Fender
				APPROX. WEIGHT	check website

GENIUS 940

290147 (EU 1)
290142 (NON-EU 2)

29



SIZE

S, M, L, XL

WHAT'S NEW

- Frame with Integrated Suspension Technology
- Front 160 / Rear 150mm Travel
- Alloy Frame
- Syncros Cable Integration System



FRAME	Genius Alloy 6061, Integrated Suspension Technology, Virtual 4 Link kinematic / Adjustable head angle, Syncros Cable Integration System, BB92 / UDH Interface / 12x148mm with 55mm Chainline	REAR DERAILLEUR	SRAM NX Eagle 12 Speed	SEATPOST	Syncros Duncan Dropper Post, 31.6mm / S size 130mm / M size 150mm / L & XL size 170mm
FORK	Marzocchi Z2 Air Rail, 3-Modes / 15x110mm QR axle / tapered steerer, 44mm offset / Reb. Adj. / Lockout / 150mm travel	SHIFTERS	SRAM SX Eagle Trigger	SEAT	Syncros Tofino 2.5 Regular
REAR SHOCK	X-Fusion NUDE S RLX Trunnion, SCOTT custom w. travel / geo adj., 3 modes: Lockout-Traction Control-Descend, Reb. Adj., Travel 150-100-Lockout / T185x55mm	BRAKES	Shimano MT501 Disc, Shimano SM-RT30 CL / 203/F and 180/R	HUB (FRONT)	Formula CL-811 / 15x110mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology, Suspension & Dropper Remote, 3 Suspension modes	CRANKSET	SRAM SX Eagle DUB, 55mm CL / 32T	HUB (REAR)	Formula CL-148S / 12x148mm
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System, +/-0.6° head angle adjustment, Z536/28.6 - Z536/40 MTB	BB-SET	SRAM DUB PF-92 MTB Wide / shell 41x92mm	SPOKES	Stainless Black 15G / 1.8mm
		CHAIN	SRAM CN SX Eagle	RIMS	Syncros X-30S / 32H / 30mm / Sleeve Joint
		CASSETTE	SRAM SX-PG1210 / 11-50 T	FRONT TIRES	Maxxis Dissector / 2.6" / 60TPI Foldable, Tubeless Ready / EXO
		HANDLEBAR	Syncros Hixon 2.0 Alloy 6061 D.B., 12mm Rise / back sweep 8° / 780mm, Syncros Endurance lock-on grips	REAR TIRES	Maxxis Dissector / 2.6" / 60TPI Foldable, Tubeless Ready / EXO
		HANDLEBAR STEM	Syncros AM 2.0, Syncros Cable Integration System, 4° rise / 6061 Alloy / 31.8mm / 11/8"	APPROX. WEIGHT	check website

GENIUS ST 900 TUNED

290151 (EU 1)

290148 (NON-EU 2)

SIZE

S, M, L, XL

WHAT'S NEW

- Frame with Integrated Suspension Technology
- Front 160 / Rear 150mm Travel
- Carbon Frame
- Syncros Cable Integration System
- FOX 36 GRIP2 160mm travel
- FOX Float X Nude
- TracLoc
- SRAM X01 AXS
- Syncros Carbon Parts



FRAME Genius Carbon HMX, Integrated Suspension Technology, Virtual 4 Link kinematic / Adjustable head angle, Syncros Cable Integration System, BB92 / UDH Interface / 12x148mm with 55mm Chainline

FORK FOX 36 Float Factory Grip 2 Air / Kashima, HSC - LSC - HSR - LSR adjustable / Kabolt 15x110mm axle, 44mm offset / tapered steerer, 160mm travel

REAR SHOCK FOX FLOAT X NUDE Factory EVOL Piggy Back Trunnion, Kashima / SCOTT custom w. travel / geo adj., 3 modes: Climb-Traction Control-Descend, Custom large Air volume / Comp & Reb. Adj., Travel 150-100-Climb / T185x55mm

REMOTE SYSTEM TracLoc Technology, Rear Suspension & Dropper Remote, 3 Rear Suspension modes

HEADSET Syncros - Acros Angle adjust & Cable Routing HS System, Stainless / +0.6° head angle adjustment, Z556/28.6 - Z556/40 MTB

REAR DERAILLEUR SRAM X01 Eagle AXS / 12 Speed, Wireless Electronic Shift System

SHIFTERS SRAM GX Eagle AXS Rocker Controller

BRAKES Shimano XTR M9120 4 Piston Disc, Shimano SM-RT76 / 6 Bolt / 203F and 180/R

CRANKSET SRAM X01 DUB Eagle Carbon crankarm, 55mm CL / 32T

BB-SET SRAM DUB PF 92 MTB Wide / shell 41x92mm

CHAIN SRAM CN X01 Eagle

CASSETTE SRAM X01 XG1295 / 10-52 T

HANDLEBAR Syncros Hixon iC Carbon, Size S & M 15mm rise / Size L & XL 25mm rise, back sweep 8° / 780mm, Syncros Endurance lock-on grips

SEATPOST Syncros Duncan Dropper Post 1.5, 31.6mm / S size 140mm / M size 160mm, L size 170mm / XL size 200mm

SEAT Syncros Tofino 1.5 Regular, Titanium rails

FRONT TIRES Maxxis Minion DHF / 2.6" / 120TPI Foldable, Tubeless Ready / EXO 3C maxTerra

REAR TIRES Maxxis Dissector / 2.6" / 60TPI Foldable, Tubeless Ready / EXO 3C maxTerra

WHEELSET Syncros Revelstoke 1.0-30 CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready Carbon rim 28H, DT Swiss Ratchet Hubs / XD Driver, SRAM TyreWiz / Syncros Axlew/Removable Lever, with 6mm Allen, T30 and T25 Tools

EXTRAS SRAM AXS Powerpack, SRAM TyreWiz, Syncros Fork Fender

ACCESSORIES Syncros Eco Sealant, Transport Axle

APPROX. WEIGHT check website

GENIUS ST 910

290152 (EU 1)

290149 (NON-EU 2)

SIZE

S, M, L, XL

WHAT'S NEW

- Frame with Integrated Suspension Technology
- Front 160 / Rear 150mm Travel
- Carbon Mainframe with Alloy Swingarm
- Syncros Cable Integration System
- FOX 36 GRIP2 160mm travel
- FOX Float X Nude
- TracLoc
- SRAM GX AXS
- Syncros Carbon Parts



FRAME	Genius Carbon HMF Mainframe with Alloy 6061 Swingarm, Integrated Suspension Technology, Virtual 4 Link kinematic / Adjustable head angle, Syncros Cable Integration System, BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	Ohlins RXF36 m.2 Air, TTX-Technology HSC - LSC - LSR adjustable / 15x110mm Axle, 44mm offset / tapered steerer, 160mm travel
REAR SHOCK	FOX FLOAT X NUDE PE EVOL Piggy Back Trunnion, SCOTT custom w. travel / geo adj., 3 modes: Climb-Traction Control-Descend, Custom large Air volume / Comp & Reb. Adj., Travel 150-100-Climb / T185X55mm
REMOTE SYSTEM	TracLoc Technology, Rear Suspension & Dropper Remote, 3 Rear Suspension modes

REAR DERAILLEUR	SRAM GX Eagle AXS 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM GX Eagle AXS Rocker Controller
BRAKES	Shimano XT M8120 4 Piston Disc, Shimano SM-RT76 / 6 Bolt / 203/F and 180/R
CRANKSET	SRAM GX Eagle DUB, 55mm CL / 32T
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN GX Eagle
CASSETTE	SRAM XG1275 / 10-52 T
HANDLEBAR	Syncros Hixon iC Carbon, Size S & M 15mm rise / Size L & XL 25mm rise, back sweep 8° / 780mm, Syncros Endurance lock-on grips

SEATPOST	Syncros Duncan Dropper Post 1.5, 31.6mm / S size 140mm / M size 160mm, L size 170mm / XL size 200mm
FRONT TIRES	Maxxis Minion DHF / 2.6" / 120TPI Foldable, Tubeless Ready / EXO 3C maxxTerra
REAR TIRES	Maxxis Dissector / 2.6" / 60TPI Foldable, Tubeless Ready / EXO 3C maxxTerra
WHEELSET	Syncros Revelstoke 2.0 6 Bolt, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready rim 28H / XD Driver, Syncros Axle w/Removable Lever, with 6mm Allen, T30 and T25 Tools
EXTRAS	SRAM AXS Powerpack, Syncros Fork Fender
APPROX. WEIGHT	check website

GENIUS ST 920

290153 (EU 1)

290150 (NON-EU 2)

SIZE

S, M, L, XL

WHAT'S NEW

- Frame with Integrated Suspension Technology
- Front 160 / Rear 150mm Travel
- Alloy Frame
- Syncros Cable Integration System
- RockShox Lyrik 160mm travel
- FOX Float X Nude
- TracLoc
- SRAM DB8 Brakes



FRAME	Genius Alloy 6061, Integrated Suspension Technology, Virtual 4 Link kinematic / Adjustable head angle, Syncros Cable Integration System, BB92 / UDH Interface / 12x148mm with 55mm Chainline	REAR DERAILLEUR	SRAM NX Eagle 12 Speed	SEATPOST	Syncros Duncan Dropper Post 1.5, 31.6mm / S size 140mm / M size 160mm, L size 170mm / XL size 200mm
FORK	RockShox Lyrik Air, Rush RC Damper, 15x110mm Maxle Stealth, 44mm offset / Tapered steerer, Comp & Reb. Adj. / 160mm travel	SHIFTERS	SRAM SX Eagle Trigger	HUB (FRONT)	Formula CL-811 / 15x110mm
REAR SHOCK	FOX FLOAT X NUDE PE EVOL Piggy Back Trunnion, SCOTT custom w. travel / geo adj., 3 modes: Climb-Traction Control-Descend, Custom large Air volume / Comp & Reb. Adj., Travel 150-100. Climb / 118x55mm	BRAKES	SRAM DB8 4 Piston Disc, SRAM Centerline CL Rotors 200/F and 180/R	HUB (REAR)	Formula CL-148S / 12x148mm
REMOTE SYSTEM	TracLoc Technology, Rear Suspension & Dropper Remote, 3 Rear Suspension modes	CRANKSET	SRAM SX Eagle DUB, 55mm CL / 32T	SPOKES	Stainless Black 15G / 1.8mm
		BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm	RIMS	Syncros X-30S / 32H / 30mm / Sleeve Joint
		CHAIN	SRAM CN SX Eagle	FRONT TIRES	Maxxis Minion DHF / 2.6" / 60TPI Foldable, Tubeless Ready / EXO
		CASSETTE	SRAM SX-PG1210 / 11-50 T	REAR TIRES	Maxxis Dissector / 2.6" / 60TPI Foldable, Tubeless Ready / EXO
		HANDLEBAR	Syncros Hixon 2.0 Alloy 6061 D.B., 12mm Rise / back sweep 8° / 780mm, Syncros Endurance lock-on grips	EXTRAS	Syncros Fork Fender
		HANDLEBAR STEM	Syncros AM 2.0, Syncros Cable Integration System, 4° rise / 6061 Alloy / 31.8mm / 11/8"	APPROX. WEIGHT	check website